

SPECIFICATIONS

One (1) New Detachable Industrial Snow Blower For Sarpy County Highway Department

SARPY COUNTY, NEBRASKA

PROPOSALS DUE: 2:00 p.m., Thursday, September 23, 2010

General Information

Notice to Vendors

Sarpy County is seeking proposals for One (1) New Detachable Industrial Snow Blower for the Sarpy County Highway

Sealed bids will be received Monday through Friday 8:00 a.m. to 4:45 p.m. except holidays, until 2:00 p.m., Thursday, September 23, 2010. Bids shall be in a sealed envelope, clearly marked "Sealed Bid - One (1) New Detachable Industrial Snow Blower" and shall have the name of the Vendor, and the time and date of the bid opening. **Do not fax bids, only sealed bids will be accepted.**

Submit one (1) original and three (3) copies of the entire Bid Form including attachments.

Requests for information and clarification questions must be received by September 17, 2010 at 12:00 P.M. in order for Sarpy County to have time to issue an addendum.

Bidding criteria must be received from Beth Cunard, Purchaser, 1210 Golden Gate Drive, Papillion, NE 68046, (402) 593-4476, bcunard@sarpy.com or via the internet at www.sarpy.com.

Vendors that obtain specifications from the internet sites are responsible for obtaining any addenda that may be added at a later time.

Bids must be sent to:

Deb Houghtaling
Sarpy County Board Business Office
1210 Golden Gate Drive
Papillion, NE 68046

Bids not addressed and delivered to the above person will not be considered. Bids received after the above stated time and date will not be considered.

Bid opening will be a public opening to be held in the Sarpy County Administrative Conference Room at 1210 Golden Gate Drive, Papillion, NE. The bid opening will be at 2:00 p.m., Thursday, September 23, 2010.

All bids submitted shall be valid for a period of sixty (60) days following the final date for submission of bids.

Sarpy County will not be liable for costs incurred by Vendors for proposal preparation, printing, demonstration, or any other costs associated with or incurred in reliance on proposal creation. All such costs shall be the responsibility of the Vendor.

The bids shall include all charges and applicable taxes, F.O.B., 15100 South 84th Street, Papillion, Nebraska. The Vendor need not include sales tax in the bid. Sarpy County will, upon request, furnish the successful Vendor with a completed State of Nebraska Tax Exempt Form 13 upon acceptance of the successful Vendor's proposal.

The Sarpy County Board of Commissioners reserves the right to reject any or all bids and to waive minor informalities.

In the event of conflict between unit price and extended price, unit price shall prevail.

Procedures for Evaluation and Awarding of Bid

1. Evaluation will be done by Beth Cunard, Sarpy County Purchaser along with personnel from the Highway and Fleet Services Departments. After evaluation the Purchaser will make a recommendation to the County Board of Commissioners for award. This recommendation and pending award will be made at a public meeting of the Board of Commissioners. Agendas are available each Friday afternoon on our internet site www.sarpy.com. The Commissioners award the bid by majority vote.
2. The following factors will be used to consider the award of the bid, where applicable:
 - a. Compliance with all requirements.
 - b. Price.
 - c. The ability, capability, and skills of the Vendor to perform.
 - d. The character, integrity, reputation, judgment, experience, and efficiency of the Vendor.
 - e. The quality of previous performance.
 - f. Whether the Vendor can perform within the time specified.
 - g. The previous and existing compliance of the supplier with laws.
 - h. The life-cost of the personal property or services in relation to the purchase price and specified use.
 - i. The performance of the personal property or service taking into consideration any commonly accepted tests and standards of product, service, usability and user requirements.
 - j. The energy efficiency ratio as stated by the supplier.
 - k. The life-cycle costs between alternatives for all classes of equipment, the evidence of expected life, the repair and maintenance costs, and the energy consumption on a per year basis.
 - l. Such other information as may be secured having a bearing on the decision.

Terms and Conditions:

1. Information, Discussion, and Disclosures:
 - a. Any information provided by Sarpy County to any Vendor prior to the release of this Request for Proposal ("RFP"), verbally or in writing, is considered preliminary and is not binding on Sarpy County.
 - b. The Vendor must not make available nor discuss any cost information contained in the sealed copy of the proposal to or with any employee of Sarpy County from the date of issuance of this RFP until the contract award has been announced, unless allowed by the Sarpy County Purchasing Department in writing for the

purpose of clarification or evaluation.

- c. No interpretation of the meaning of the specifications, or other bidding documents, nor correction of any ambiguity, inconsistency, or error therein will be made orally to any Vendor.
- d. Every request for such interpretation or correction should be in writing, addressed to the Sarpy County Purchaser, Beth Cunard, 1210 Golden Gate Drive, Papillion, NE 68046 or bcunard@sarpy.com. **Requests must be received by 12:00 p.m., September 17, 2010 in order for Sarpy County to have time to issue an addendum. Requests received after deadline may not be considered.** In case Sarpy County finds it expedient to supplement, modify, or interpret any portion of the bidding documents prior to the proposed bid date, such procedure will be accomplished by the issuance of written addenda to the RFP which will be mailed or delivered to all prospective Vendors at the respective addresses furnished for such purpose.

2. Addenda:

- a. All addenda will become part of this RFP and must be responded to by each Vendor.
- b. All addenda must be acknowledged in writing in the bid submitted by the Vendor.
- c. This RFP, any subsequent addenda, and any written responses to questions take precedence over any information previously provided.

3. Confidentiality of Documents:

Sarpy County considers all information, documentation and other materials requested to be submitted in response to this proposal to be of a non-confidential and/or non-proprietary nature and therefore shall be subject to public disclosure under Neb. Rev. Stat. § 84-712.05(3).

Vendors are hereby notified that Sarpy County strictly adheres to all statutes, court decisions, and opinions of the Nebraska Attorney General with respect to disclosure of RFP information.

Any “proprietary, trade secret, or confidential commercial or financial” information must be clearly identified, in a separate sealed envelope, at the time of bid/proposal submission. The Vendor will be required to fully defend, in all forums, Sarpy County’s refusal to produce such information; otherwise, Sarpy County will make such information public.

4. Non-Discrimination Clause:

Pursuant to Neb. Rev. Stat. §73-102 (Reissue 1996), Vendor declares, promises, and warrants it has and will continue to comply fully with Title VI of the Civil Rights Act of

1964, as amended (42 U.S.C.A. §1985, et seq.), and the Nebraska Fair Employment Practice Act, Neb. Rev. Stat. §48-1101, et seq. (Reissue 2004), in that there shall be no discrimination against any employee who is employed in the performance of this Contract, or against any applicant for such employment, because of age, color, national origin, race, religion, creed, disability or sex.

5. Conflict of Interest Clause:

Pursuant to Neb Rev. Stat. §23-3113 (Reissue 1997), the parties hereto declare and affirm that no officer, member, or employee of the County, and no member of its governing body, and no other public official of the County who exercises any functions or responsibilities in the review or approval of the undertaking described in this Contract, or the performing of services pursuant to this Contract, shall participate in any decision relating to this Contract which affects his or her personal interest, or any corporation, partnership, or association in which he or she is directly or indirectly interested; nor shall any employee of the County, nor any member of its governing body, have any interest, direct or indirect, in this Contract or the proceeds thereof.

6. Payment Terms:

The successful Vendor shall submit an itemized invoice for payment. Sarpy County will make payment to the successful Vendor within forty five (45) days after receipt of invoice, satisfactory delivery, and testing.

7. Supplemental Terms and Conditions/Modifications:

Any supplemental terms, conditions, modifications, or waiver of these terms and conditions must be in writing and signed by the Sarpy County Board Chairman and the Vendor.

8. Termination:

Either party may terminate the Contract with ninety (90) days' written notice to the other.

9. Residency Verification:

The Vendor agrees to comply with the residency verification requirements of Neb. Rev. Stat. §4-108 through §4-114. The Vendor is required and hereby agrees to use a federal immigration verification system to determine the work eligibility status of new employees physically performing services within the State of Nebraska. A federal immigration verification system means the electronic verification of the work authorization program authorized by the Illegal Immigration Reform and immigrant Responsibility Act of 1996, 8 U.S.C. 1324a, known as the E-Verify Program, or an equivalent federal program designated by the United States Department of Homeland Security or other federal agency authorized to verify the work eligibility status of a newly hired employee.

If the Vendor is an individual or sole proprietorship, the following applies:

1. The Vendor must complete the United States Citizenship Attestation Form, available on the Department of Administrative Services website at www.das.state.ne.us.
2. If the Vendor indicates on such attestation form that he or she is a qualified alien, the Vendor agrees to provide the U.S. Citizenship and Immigration Services documentation required to verify the Vendor's lawful presence in the United States using the Systematic Alien Verification for Entitlements (SAVE) Program.
3. The Vendor understands and agrees that lawful presence in the United States is required and the Vendor may be disqualified or the contract terminated if such lawful presence cannot be verified as required by Neb. Rev. Stat. Sect. 4-108.

10. Breach:

Should Vendor breach, violate, or abrogate any term, condition, clause or provision of this agreement, the County shall notify Vendor in writing that such an action has occurred. If satisfactory provision does not occur within ten (10) days from such written notice the County may, at its option, terminate this agreement and obtain an alternate provider to provide all required materials. This provision shall not preclude the pursuit of other remedies for breach of contract as allowed by law.

11. Assignment:

The Vendor may not assign this Contract without the prior written consent of the County.

12. Subcontracting:

Vendor may not subcontract the work to be performed, without prior written consent of the County. If such consent is granted, Vendor will retain responsibility for all work associated with the Contract. The Vendor must identify any subcontractors it intends to use in the execution of this Contract. The Vendor must identify subcontractors in writing within the proposal.

13. Independent Contractor:

The Vendor shall in the performance of the Contract at all times be an independent contractor and not an employee or agent of the County. The Vendor, its officers, employees and agents shall at no time represent the Vendor to be other than an independent contractor or represent themselves to be other than employees of the Vendor.

14. Indemnity:

The Vendor shall indemnify and save harmless Sarpy County, its officers, employees and agents from all loss, claims, suits or actions of every kind and character made upon or brought against Sarpy County, its officers, employees, or agents, for or sustained by any party or parties as a result of any act, error, omission or negligence of said Vendor or its servants, agents, and subcontractors; and also from all claims of damage in fulfilling this

Contract.

Specifications

The purpose of these specifications is to describe one self contained snow blower and all components necessary for a complete operating unit. The Snow blower will be designed to be installed on a wheel loader with quick attach system. This snow blower will be capable of handling all types of snow, including wet, heavy snow to hard packed frozen snow. The unit will be capable of arduous duty for prolonged periods of time, without deformation and/or failure of components in ambient temperature down to minus forty degrees F. (-40F). It shall be of sturdy construction and shall be complete in every detail, mounted by Vendor and ready for operation.

Failure to comply with these specifications shall disqualify a bid.

Vendor shall inspect wheel loader quick attach system to ensure blower compatibility. Inspection of the wheel loader will only be allowed on September 16, 2010 from 2:00 p.m. until 3:00 p.m. The machine is located at 15100 South 84th Street, Papillion, NE 68046.

Payment for Snow Blower shall not be made until Sarpy County Fleet Services and the Sarpy County Highway Department have completely tested the unit. Testing period is not to exceed forty-five (45) days after delivery to Sarpy County.

No prototype Snow Blowers will be accepted. A minimum of one hundred (100) identical Snow Blowers of this type shall be in operation within the U.S.A.

1. Company Information:

Vendor will provide the following company information on bid form:

1. Years in business
2. Number of employees
3. Total sales for last three (3) years

2. References:

Each Vendor must include with its proposal a list of no less than three (3) references that have purchased the specified product or service within the last two (2) years. The list must include the name of the company, the name and phone number of a contact person for each company.

3. Literature:

Vendor shall attach three (3) sets of detailed specifications or advertising literature of systems to the bid form. A set of detailed specifications or advertising literature with cuts or photographs shall be furnished with the quotation on the identical snow blower to be furnished. ANY INFORMATION NECESSARY TO SHOW COMPLIANCE WITH

YES/NO

Contractor: _____

THESE REQUIREMENTS NOT GIVEN ON THE ATTACHED ADVERTISING DATA SHEETS SHALL BE SUPPLIED IN WRITING AND ATTACHED TO THE BID PROPOSAL. Lack of sufficient information supplied with a proposal is cause for automatic rejection of a bid.

4. Deviations:

Once the bid has been accepted by Sarpy County, no deviations from the specifications will be accepted without prior written approval of Sarpy County.

5. Exceptions:

The above specifications are minimum acceptable specifications. You may bid other than what is specified, if it is of higher specification than what is requested. Vendor must list all exceptions to the bid specifications on the bid form page. Indicate acceptance or exception by marking YES/NO for each specification listed. Any unmarked YES/NO line will be noted as "exception to the specification".

6. Warranty:

A copy of all manufacturer's warranties shall be included in Vendor's proposal.

7. Delivery:

Vendor to provide delivery date to Sarpy County with its bid.

Technical Specifications

Any reference to brand names and/or number in the Specification is intended to be descriptive, but not restrictive, unless otherwise specified. Other brands, of approved equal quality, may be considered for award. In the event of substitution, your proposal must clearly describe the article and the proposal must state the brand name and product number of the substitution offered. The determination of the Sarpy County Purchasing Office, in consultation with the ordering office(s), shall be final and conclusive in determining the equality of alternates.

YES/NO

1. General Requirement

____/____ A. The following requirements are for one self contained snow blower, designed to be installed on a wheel loader with quick attach system compatible with the loader. The Sarpy County loader is a 2002 Caterpillar model 996G with Balderson Quick Hitch system.

____/____ B. This snow blower will be capable of handling all types of snow, including wet, heavy snow to hard packed frozen snow. The unit will be capable of

YES/NO

Contractor: _____

arduous duty for prolonged periods of time, without deformation and/or failure of components in ambient temperature down to minus forty degrees F. (-40F)

2. General Data

- ___ / ___ A. Snow Removal Capacity: 1500 to 1800 tons per hour, minimum (capacity dependent on the snow density.)
- ___ / ___ B. Snow Casting Distance: 175 feet (dependent on snow density).
- ___ / ___ C. Weight of Complete Unit: 7,800 pounds (approximate) less hitch.
- ___ / ___ D. Completely Self-contained.
- ___ / ___ E. Two-Stage Design with feed augers.
- ___ / ___ F. Hydraulic adjustable truck loading chute.

3. Dimensions (Approximately)

- ___ / ___ A. Cutting Width ----- 116 inches
- ___ / ___ B. Cutting Height – Working Height ----- 48 inches
- ___ / ___ C. Cutter Bars Height (Approx.) ----- 78 inches
- ___ / ___ D. Overall Height (Chute Retracted) (Approx.) ----- 122 inches
- ___ / ___ E. Overall Height (Chute Up) (Approx.) ----- 140 inches
- ___ / ___ F. Overall Length Front to Back (Approx.) ----- 80 inches

4. Frame

- ___ / ___ A. Fully Welded Construction
- ___ / ___ B. Main frame and support members shall be constructed from hot rolled steel plate and heavy structural tubing, angle, channel and flat bars.
- ___ / ___ C. Rear frame easily adaptable to various types of hitches for mounting on front end loaders.

YES/NO

Contractor: _____

___ / ___ D. The frame shall be designed to allow the optimal distribution of the effort of the front of the blower to the quick coupler.

5. Scraper Blade, Wear Shoes and Plates

___ / ___ A. Scraper blades, shoes and plates shall be replaceable high carbon steel type.

___ / ___ B. Wear shoes and plates shall be adjustable.

___ / ___ C. Wear shoes and plates shall have a minimum of 292 square inches of wear surface.

6. Augers

___ / ___ A. Augers shall be full flight - welded one piece type.

___ / ___ B. The augers shall be fabricated from steel and continually welded on a steel tube wall.

___ / ___ C. All augers shall be supported by ball bearings.

___ / ___ D. Auger drive shall be shear pin(s) protected.

___ / ___ E. Auger drive shall have a flexible coupling to protect against shock loads.

___ / ___ F. A rubber deflector shall be bolted on the blower frame over the top auger.

7. Impeller

___ / ___ A. Impeller shall constructed of a minimum 1/4 inch heavy-duty steel weldment – 38 inches diameter.

___ / ___ B. Impeller blades shall be heavy duty steel alloy bolt on replaceable type.

___ / ___ C. Impeller casing shall be heavy duty constructed from a minimum of 3/16 inch hot rolled steel plate.

___ / ___ D. Impeller casing throat depth shall be a minimum of 14 inches.

___ / ___ E. Impeller casing shall rotate through an arc a minimum of 130° - rotation shall be hydraulically operated with controls from the cab of the loader.

___ / ___ F. Impeller drive shall be shear pin protected with two shear pins. Easy

YES/NO

Contractor: _____

access for operator to field replace shear pins shall be provided.

8. Turret Loading and Casting Chute

- ___ / ___ A. Snow can be directed to either side of the rotary unit for casting without going through turret loading chute or snow can be directed through turret loading chute.
- ___ / ___ B. Turret loading chute shall be a three section design – turntable and telescoping type.
- ___ / ___ C. Each section shall be of welded construction of 3/16 inch hot rolled steel plate and/or 12gauge hot rolled steel sheet.
- ___ / ___ D. Each section shall be approximately 16 inches minimum width.
- ___ / ___ E. Each section shall be structurally reinforced with heavy steel supports.
- ___ / ___ F. Turret system shall be hydraulically rotated – Minimum horizontal rotation arc of 240 degrees with 120 degrees to either side of straight forward.
- ___ / ___ G. Hydraulic double acting lift cylinder shall raise second section to any desired height.
- ___ / ___ H. Hydraulic double acting tip control cylinder shall allow variable degree of deflection on third section for proper position for loading trucks or exact placement of snow stream.

9. Clutch

- ___ / ___ A. Clutch shall be a minimum of 11 inches.
- ___ / ___ B. Clutch shall be twin disc, double plate over the center type.
- ___ / ___ C. Clutch will be hydraulically operated with control from the cab of the loader.
- ___ / ___ D. Clutch control will have appropriate safety locks preventing the engagement of the clutch
- ___ / ___ E. Clutch control will advise the operator through an audible, lighted and text alarm when clutch is not properly engaged.
- ___ / ___ F. Clutch control will prevent engine start up when clutch is engaged.

YES/NO

Contractor: _____

10. Power Train, Transmission and Associated Components

- ___ / ___ A. Power provided to auger and impeller shall be provided through roller chains, right angle gear case and drive shafts - all rated for required horsepower.
- ___ / ___ B. Gear Case shall be cast iron construction – Machine to tolerance.
- ___ / ___ C. Shafts, gears, sprockets and bearing shall be designed from alloy steel heated treated.
- ___ / ___ D. Bearing for all shafts and rotating parts journaled in oversized ball or roller bearings.
- ___ / ___ E. All components shall be lubricated by oil baths.
- ___ / ___ F. Oil baths shall have oil level gauges.
- ___ / ___ G. Chain transmission with HYVO chain running in oil bath.
- ___ / ___ H. Provide chain idler(s) – adjustable chain idler for proper tension of auger drive chain.
- ___ / ___ I. Provide separate shear bolt(s) protection of auger and impeller.
- ___ / ___ J. Shear bolt located in easily accessible locations.

11. Engine

- ___ / ___ A. Engine shall meet Tier III emission requirements or current emission requirements.
- ___ / ___ B. Minimum cubic inch displacement of 440 cubic inches.
- ___ / ___ C. Number of cylinders: six
- ___ / ___ D. Minimum horse power of 250 HP.
- ___ / ___ E. Minimum torque of 832 foot pounds @ 1400 RPM.
- ___ / ___ F. Injection system with electronic engine controls.

YES/NO

Contractor: _____

- ___ / ___ G. Two Stage dry type air filters with air restriction gauge.
- ___ / ___ H. Low oil pressure and high coolant automatic shut down system.
- ___ / ___ I. Heavy duty Radiator System that meet engine manufacturer requirements – Cooling fan to be automatic variable speed type adjusting to cooling needs.
- ___ / ___ J. Radiator with deaeration system with tank and sight glass.
- ___ / ___ K. Coolant to be all season extended life permanent anti-freeze to minus forty (40) degrees Fahrenheit.
- ___ / ___ L. Engine coolant filter per engine manufacturer requirements.
- ___ / ___ M. Engine block heater (Phillips 120 volt, 1500 watt.) or Equal
- ___ / ___ N. Engine oil drain plug magnetic.
- ___ / ___ O. Spin-on type oil filter(s).
- ___ / ___ P. Muffler to be residential type with protective shielding.

State brand, make, model of engine specified:

Brand/Make _____

Model _____

H.P. _____

Peak Torque _____

Displacement (C.I.D.) _____

12. Fuel System

- ___ / ___ A. Fuel tank – 50 Gallon Minimum
- ___ / ___ B. Electro-mechanical fuel gauge mounted on tank.
- ___ / ___ C. Primary heated water separator - diesel filter with replaceable element.
- ___ / ___ D. Secondary diesel filter with replaceable filter.

YES/NO

Contractor: _____

13. Engine Enclosure

- ___/___ A. Weather proof engine enclosure.
- ___/___ B. Removable doors or tilt design for maximum access to engine.
- ___/___ C. Door or tilt design to have safety hook to secure in the open position.

14. Electrical System

- ___/___ A. Two Maintenance Free Batteries – Group 31 - 1800 CCA Minimum.
- ___/___ B. 12 volt - Negative ground system.
- ___/___ C. 12 volt starter.
- ___/___ D. 115 Amp minimum alternator
- ___/___ E. Master battery disconnect switch
- ___/___ F. All electrical components in weather proof enclosure.
- ___/___ G. Circuit breaker protection – all circuits
- ___/___ H. All wiring in special low temperature loom or cable.
- ___/___ I. All wiring - color coded and continuously numbered. multiplex wiring system.
- ___/___ J. All circuit breaker and relays identified with labels.
- ___/___ K. Quick disconnect provided at instrument panel.
- ___/___ L. Minimum of four work lights/ head lights – two on the sides of the discharge chute – two on the front top facing forward.

15. Hydraulic System

YES/NO

Contractor: _____

- ___ / ___ A. Completely self contained.
- ___ / ___ B. Hydraulic pump – direct mounted to the engine – no belts.
- ___ / ___ C. Full flow solenoid hydraulic valves - five sections.
- ___ / ___ D. Flow control valves to regulate movement to adapt to environmental conditions.
- ___ / ___ E. Minimum 3 gallon hydraulic reservoir.
- ___ / ___ F. System designed to operate at temperatures of minus 40 degrees.
- ___ / ___ G. Hydraulic hoses shall meet SAE 100R2 type with JIC fittings.
- ___ / ___ H. Full flow ten micron hydraulic filter.
- ___ / ___ I. All controls mount in cab of wheel loader for complete operation.
- ___ / ___ J. All electric wiring protected by heavy duty wiring loom or cable.

16. Instrumentation and Control System

1) Instrumentation:

- ___ / ___ A. Two instrument panels - one mounted in cab of wheel loader. – one mounted on the engine panel.
- ___ / ___ B. Lighted tachometer
- ___ / ___ C. Lighted oil pressure gauge with visual and audible low oil pressure alarm.
- ___ / ___ D. Lighted coolant temperature gauge with visual and audible coolant overheat alarm.
- ___ / ___ E. Lighted voltmeter gauge.
- ___ / ___ F. Light hour meter – engine panel only.
- ___ / ___ G. Light fuel level gauge – loader cab panel only.
- ___ / ___ H. Stop engine warning light.
- ___ / ___ I. Check engine warning light.

YES/NO

Contractor: _____

- ___ / ___ J. Low coolant level - visual and audible alarm.
- ___ / ___ K. Warning light and audible alarm for clutch malfunction.
- ___ / ___ L. Low fuel level warning light.
- ___ / ___ M. Diagnostic display.

2) Control Panel:

- ___ / ___ A. Key starter/ignition switch – with restart protection when engine is running.
- ___ / ___ B. Throttle control.
- ___ / ___ C. Clutch control switch with automatic clutch function protection/safety.
- ___ / ___ D. Emergency stop control – one in wheel loader cab – one on snow blower.
- ___ / ___ E. Low oil pressure and high coolant automatic shut down system.
- ___ / ___ F. Impeller housing rotation switch/joystick control.
- ___ / ___ G. Chute position(s) switches/joystick controls – rotation, deflection, extension.
- ___ / ___ H. Working lights indicator with switch(s)

17. Paint

- ___ / ___ A. All metal surfaces shall be properly prepared for painting to insure removal of surface rust, welding slag, soot, dirt, grease or wax.
- ___ / ___ B. Prior to assembly of the unit, all components are to be individual cleaned with iron phosphate treatment.
- ___ / ___ C. Standard factory paint with one (1) coat of rust proof primer and two (2) coats of multi-component urethane paint is required. Paint and Primer shall be of highest quality available.

18. Shop and Parts Manuals

- ___ / ___ A. Two (2) Operator Manuals or CD ROM.
- ___ / ___ B. One (1) Shop Repair Manual or CD ROM.

YES/NO

Contractor: _____

- ___/___ C. One (1) Parts Manual or CD ROM.
- ___/___ D. Provide information on training/repair/service available for equipment specified.

19. Warranty

- ___/___ A. Regular manufacturers standard warranty, manufacturers statement of origin and complete pre-delivery inspection certificates required with snow blower at delivery.
- ___/___ B. The manufacturers standard warranty shall be stated in the bid.
- ___/___ C. Manufacturer's component written warranty including engine, transmission and gear boxes must accompany delivery.
- ___/___ D. All warranty work shall be performed within State of Nebraska and within sixty (60) miles of Sarpy County Fleet Shop at 15100 So. 84th Street, Papillion, NE 68046.

20. Service

- ___/___ A. Pre-delivery service will be performed by the dealer. Factory pre-delivery will not be accepted.

19. Training

- ___/___ A. Information on factory schools/training to be provided to Sarpy County Fleet Services within six (6) months of purchase of unit. Vendor/Manufacturer must supply letter that manufacturer training of Sarpy County Fleet Service Technicians is available and any charges to Sarpy County for training.

EXCEPTIONS/CLARIFICATIONS/COMMENTS

- 1. _____
- 2. _____
- 3. _____
- 4. _____
- 5. _____
- 6. _____
- 7. _____
- 8. _____
- 9. _____
- 10. _____

COMPANY NAME: _____

**Sarpy County, Nebraska
One (1) New Detachable Industrial Snow Blower
Bid Form**

Company Name: _____

Make: _____ **Model:** _____

Year: _____

The undersigned, having carefully examined the specifications and other contract documents for furnishing One (1) - New Detachable Industrial Snow Blower, for Highway Department use, hereby propose to furnish equipment as specified for a cost as follows:

UNIT PRICE: \$ _____

***Prices are to be F.O.B. - 15100 South 84th Street, Papillion, NE 68046**

DELIVERY DATE: _____

Company Information:

Years in business: _____

of employees _____

Total sales last 3 years _____

References:

Company Name: _____

Address: _____

Contact Name: _____ Phone Number: _____

Fax Number: _____ Date of Purchase: _____

Company Name: _____

Address: _____

Contact Name: _____ Phone Number: _____

Fax Number: _____ Date of Purchase: _____

Company Name: _____

Address: _____

Contact Name: _____ Phone Number: _____

Fax Number: _____ Date of Purchase: _____

I certify that this bid is submitted in accordance with the specifications issued by Sarpy County.

I acknowledge receipt of the following addenda (if applicable):

Addendum #1 _____
Addendum #2 _____

**Attachments: Literature/Cut-sheets
 Warranty Information**

Company Name

Company Representative (Please print)

Authorized Signature

Telephone Number

Address

Fax Number

City, State & Zip

E-Mail Address

****NOTE: Sarpy County is tax exempt and will provide the proper form upon request.***